


# Activity meter PNT 3000



**Instruction manuals**

**Optimal values for all plants**



**STEP Systems GmbH**  
Soil Testing Equipment - Professional Systems

All rights reserved.  
Printed in Germany.  
STEP Systems GmbH 2016

Duisburger Str. 44  
Tel: ++49 (0) 911 96 26 05-0  
Fax: ++49 (0) 911 96 26 05-9  
D-90451 Nürnberg  
e-mail: [info@stepsystems.de](mailto:info@stepsystems.de)  
[www.stepsystems.de](http://www.stepsystems.de)

**For your notes:**



**Declaration of Conformity:**


This device complies with the EMC Directives 89/336/EEC, 2004/108/EF, 73/23/EEC and 2004/22/EF, EN60065, EN55022 Class B, EN55024, EN6100-3-2, EN292 and EN 60335.



**Legal Obligation for battery disposal:** Batteries do not belong in household waste. As consumer, you are legally obliged to return used batteries. You can use your old batteries at public collection points in your community or anywhere else where batteries of this type are sold.

Note: these characters can be found on batteries containing pollutants

Pb = battery contains lead - Cd = battery contains cadmium - Hg = battery contains mercury




All rights reserved.  
Printed in Germany.  
STEP Systems GmbH 2016

Duisburger Str. 44  
Tel: ++49 (0) 911 96 26 05-0  
Fax: ++49 (0) 911 96 26 05-9  
D-90451 Nürnberg  
e-mail: [info@stepsystems.de](mailto:info@stepsystems.de)  
[www.stepsystems.de](http://www.stepsystems.de)

**STEP Systems GmbH**  
Soil Testing Equipment - Professional Systems

# Instruction manual PNT 3000



Measure on different spots and/or in different pots in order to obtain a representative measurement



Measure in moist soils/substrates. Recommendation: measure about 2 h after irrigation.




Insert the electrode on root depth. Only there will the measured value be relevant for the plants.



Display: „LO BAT“  
Battery change is required. Please use new 9-V-bloc battery.


## Activity measurement



Connect stainless steel electrode to the



Insert the electrode on root depth



Press button AM and hold it. Release of the button switches off the instrument.



Measuring result is displayed. Compare the result with table „optimal values“


## Maintenance



If the sensor is covered with any kind of film, corrosion, etc., remove it by using a fine sand paper.



The PNT 3000 has properly been calibrated during the production process and carefully checked before delivery. A re-calibration is not required.



**STEP Systems GmbH**  
Soil Testing Equipment - Professional Systems

All rights reserved.  
Printed in Germany.  
STEP Systems GmbH 2016

Duisburger Str. 44  
Tel: ++49 (0) 911 96 26 05-0  
Fax: ++49 (0) 911 96 26 05-9  
D-90451 Nürnberg  
e-mail: [info@stepsystems.de](mailto:info@stepsystems.de)  
[www.stepsystems.de](http://www.stepsystems.de)

# Table for Optimal AM-Values

Activity Meter: optimal AM-Values at good soil moisture.

The values are valid during maturity time and growth period of the plants.

Values shall never fall below 0.1 AM.

If the value falls below the optimal values, fertilisation is required.

For pot plants, fertilisation with liquid fertilisers is recommended.

For bed plants, a fertilisation with mostly Nitrate and Potassium is recommended.

## Substrates:

	pH-Value	AM-value
Substrate (peat soil) for young plants (salt-sensitive young plants)		0,2-0,4
Substrate (peat soil) for young plants (salt-tolerable young plants)		0.3-0.5
Substrate (peat soil) for seeding		0,1-0,2
Substrate (peat soil) for propagation		0,2-0,3

## Ornamental Plants:

Botanic Name	German Name	pH-Value	AM-Value
Abies balsamea	Zwergtanne	6,0-8,0	0,2-0,4
Abies concolor	Grautanne	5,5-7,5	0,2-0,4
Abies homolepis	Nikkotanne	5,0-7,0	0,2-0,4
Abies koreana	Koreatanne	6,0-8,0	0,2-0,4
Abies lasiocarpa	Compacta	6,0-8,0	0,2-0,4
Abies nordmanniana	Nordmantanne	6,0-8,0	0,1-0,3
Abies pinsapo	Kellerstanne	6,0-8,0	0,2-0,4
Abies procera	Silbertanne	5,0-7,0	0,2-0,4
Abies veitchii	Veichtanne	5,0-7,0	0,1-0,3
Acer campestre	Feldahorn	6,0-7,0	0,1-0,3
Acer capillipes	Schlangenhautahorn	5,5-6,5	0,2-0,4
Acer ginnala	Feuerhorn	5,5-6,5	0,2-0,4
Acer japonicum	Japanischer Feuerhorn	6,0-7,0	0,2-0,3
Acer negundo	Eschenahorn	6,0-7,0	0,2-0,4
Acer palmatum	Fächerahorn	6,0-7,0	0,2-0,3
Acer pennsylvanicum	Streifenahorn	6,0-7,0	0,2-0,3
Acer plantanoides	Spitzahorn	6,5-7,5	0,1-0,3
Acer pseudoplatanus	Bergahorn	6,0-8,0	0,1-0,3
Acer rubrum	Rotahorn	5,5-6,5	0,2-0,4
Acer rufinerve	Rostbartahorn	6,0-7,0	0,2-0,4
Acer saccharinum	Silberahorn	6,0-7,0	0,1-0,3
Acer saccharum	Zuckerahorn	6,0-7,0	0,2-0,4
Achimeues hybrida		5,0-6,5	0,2-0,3
Actinidia arguta	Strahlengriffel	6,0-7,0	0,2-0,4
Actinidia chinensis	Kiwi	6,0-7,0	0,2-0,4
Adiantum		4,5-6,0	0,2-0,3
Aechmea fasciata		5,5-6,5	0,3-0,4
Aesculus carnea	Kastanie	6,0-8,0	0,1-0,3
Aesculus hippocastanum	Roßkastanie	6,0-8,0	0,1-0,3
Aesculus parviflora	Strauchkastanie	6,0-8,0	0,1-0,4
Ailanthus altissima	Götterbaum	6,0-7,0	0,1-0,3
Akebia quinata	Klettergurke	6,0-7,0	0,2-0,5
Alnus cordata	Erle	6,5-7,5	0,1-0,3
Alnus glutinosa	Schwarz-Rot-Erle	5,5-6,5	0,1-0,3
Alnus incana	Grau-Weiß-Erle	7,0-8,0	0,1-0,3
Alstromeria		6,0-7,0	0,3-0,5
Amaranthus-Fuchsschwanz		5,5-6,5	0,3-0,5
Amelanchier laevis	Hängende Felsenbirne	6,5-7,5	0,1-0,3
Amelanchier lamarckii	Kupfer-Felsenbirne	6,5-8,0	0,1-0,3
Amorpha Canescens	Bleibusch	6,5-7,5	0,2-0,4
Amorpha fruticosa	Bastardindigo	6,5-7,5	0,2-0,6
Anemone coronaria		5,5-6,5	0,3-0,4

<b>Botanic Name</b>	<b>German Name</b>	<b>pH-Value</b>	<b>AM-Value</b>
Anthurium andreanum		4,5-5,5	0,3-0,4
Anthurium scherzianum		4,5-5,5	0,2-0,3
Antirrhinum-Löwenmaul		5,5-7,0	0,4-0,6
Aphelandra squattosa		5,0-6,5	0,3-0,5
Aralia elata	Aralie	6,5-7,5	0,2-0,6
Araucania araucana	Schmucktanne	7,0-8,0	0,2-0,4
Aristolochia macrrophylla	Pfeifenwinde	6,5-7,5	0,2-0,4
Asparagus plumus		5,5-7,0	0,2-0,3
Asparagus sprengeri		5,5-7,0	0,5-0,8
Azalea indica		3,8-5,0	0,3-0,5
Beqonia bertinii		5,0-6,5	0,3-0,5
Beqonia elatior		5,0-6,5	0,3-0,6
Beqonia Knollenbeqonien		5,0-6,0	0,3-0,5
Beqonia Lorraine		5,0-6,0	0,3-0,5
Beqonia semperflorens		5,0-6,5	0,3-0,5
Bellis perennis		6,0-7,0	0,3-0,5
Berberis buxifolia	Berberitze	6,5-7,5	0,1-0,3
Berberis candidula	Berberitze	6,5-7,5	0,1-0,3
Berberis gagnepainii	Berberitze	6,5-7,5	0,1-0,3
Berberis hookeri	Berberitze	6,5-7,5	0,2-0,4
Berberis julianae	Berberitze	6,5-7,5	0,2-0,4
Berberis parkjuweel	Berberitze	6,5-7,5	0,2-0,4
Berberis red jewel	Berberitze	6,5-7,5	0,2-0,4
Berberis stenophylla	Berberitze	6,5-7,5	0,1-0,3
Berberis superba	Berberitze	6,5-7,5	0,1-0,3
Berberis thunbergii	Berberitze	6,5-7,5	0,2-0,4
Berberis verrucandi	Berberitze	6,5-7,5	0,2-0,4
Berberis wilsoniae	Berberitze	6,5-7,5	0,2-0,4
Betula albosinensis	Kupferbirke	6,5-7,5	0,2-0,4
Betula ermannii	Goldbirke	6,5-7,5	0,2-0,4
Betula maximowicziana	Birke	6,5-7,5	0,2-0,4
Betula nana	Polar Zwergbirke	6,5-7,5	0,2-0,3
Betula nigra	Schwarzbirke	6,0-7,0	0,3-0,6
Betula papyrifera	Papierbirke	6,0-8,0	0,1-0,3
Betula pend. Dalecartica	Ornas Birke	6,5-7,5	0,2-0,4
Betula pend. Fastigata	Säulenbirke	6,5-7,5	0,2-0,4
Betula pend. Purpurea	Purpurbirke	6,5-7,5	0,2-0,4
Betula pend. Tristis	Hängebirke	6,5-7,5	0,2-0,4
Betula pend. Youngii	Trauerbirke	6,5-7,5	0,2-0,4
Betula pendule	Weiß-Sandbirke	6,0-7,0	0,1-0,3
Betula platyphylla	Japanische Birke	6,5-7,5	0,2-0,4
Betula utilis	Himalaya Birke	6,0-6,5	0,1-0,4
Brassica oleracea		6,0-7,0	0,4-0,6
Bromelien		4,0-5,5	0,2-0,4
Buddleia alternifolia	Sommerflieder	6,0-8,0	0,1-0,3
Buddleia davidii	Hybriden	6,0-8,0	0,1-0,3
Buxus sempervierens	Buxbaum	6,0-8,0	0,2-0,4
Calceolaria Hybriden		5,0-6,5	0,3-0,5
Callicarpa bodinieri	Schönfrucht	6,0-6,5	0,2-0,4
Calluna vulgaris	Besenheide	4,0-5,0	0,1-0,3
Calyanthus floridus	Gewürzstrauch	6,5-7,5	0,2-0,4
Camelia japonica		4,0-5,5	0,3-0,5
Campanula		6,0-6,5	0,3-0,6
Campsis radicans	Trompetenblume	6,0-7,0	0,2-0,4
Caragana arboresens	Erbsenstrauch	6,0-8,0	0,1-0,3
Carpinus betulus	Hain-Weißbuche	6,0-8,0	0,1-0,3
Caryopteris clandonensis	Bartblume	6,5-7,5	0,2-0,4

<b>Botanic Name</b>	<b>German Name</b>	<b>pH-Value</b>	<b>AM-Value</b>
Castanea sativa	Eßbare Kastanie	6,0-7,0	0,1-0,3
Catalpa bignonioides	Trompetenbaum	7,0-8,5	0,2-0,4
Cattleya mossiae		4,0-5,5	0,2-0,3
Ceanothus Gloire de Versailles	Säckelblume	6,5-7,5	0,2-0,4
Cedrus atlantica	Zeder	7,0-8,0	0,2-0,4
Cedrus deodara	Himalajazeder	5,0-7,0	0,2-0,4
Cedrus glauca	Blauzeder	6,5-8,5	0,2-0,4
Cedrus pyramidalis	Pyramidenzeder	6,5-8,5	0,2-0,4
Cedrus pendula	Hängezeder	6,5-8,5	0,2-0,4
Celastrus orbiculatus	Baumwürger	6,5-7,5	0,2-0,4
Cercidiphyllum japonicum	Judasblattbaum	6,5-7,5	0,2-0,4
Cercis siliquastrum	Judasbaum	6,5-8,0	0,2-0,4
Chainomeles japonica	Scheinquitte	6,0-6,5	0,1-0,3
Chainomeles lagenaria	Scheinquitte	6,0-6,5	0,1-0,3
Chamecyparis alumil Gold	Scheinzypresse	6,0-8,0	0,1-0,3
Chamecyparis column. glauca	Scheinzypresse	6,0-8,0	0,1-0,3
Chamecyparis ellwoodii	Scheinzypresse	6,5-8,0	0,1-0,3
Chamecyparis glauca spek	Scheinzypresse	6,5-8,0	0,2-0,4
Chamecyparis golden wonder	Scheinzypresse	6,5-8,0	0,2-0,4
Chamecyparis keleris aurea	Scheinzypresse	6,5-8,0	0,2-0,4
Chamecyparis lanei	Scheinzypresse	6,5-8,0	0,2-0,4
Chamecyparis lawsoniana	Scheinzypresse	6,0-8,0	0,1-0,3
Chamecyparis minima glauca	Scheinzypresse	6,5-8,0	0,2-0,4
Chamecyparis nootkat. glauca	Scheinzypresse	6,5-8,0	0,2-0,4
Chamecyparis nootkat. lutea	Scheinzypresse	6,5-8,0	0,2-0,4
Chamecyparis nootkat. pend.	Scheinzypresse	6,0-8,0	0,2-0,4
Chamecyparis obtusa	Scheinzypresse	6,0-8,0	0,2-0,4
Chamecyparis pisif. filifera	Scheinzypresse	6,0-8,0	0,2-0,4
Chamecyparis pisif. plumosa	Scheinzypresse	6,0-8,0	0,1-0,3
Chamecyparis pisif. squarrosa	Scheinzypresse	6,0-8,0	0,1-0,3
Chamecyparis pisifera boule.	Scheinzypresse	6,0-8,0	0,1-0,3
Chamecyparis stardust	Scheinzypresse	6,5-8,0	0,2-0,4
Chamecyparis stewartii	Scheinzypresse	6,5-8,0	0,2-0,4
Chamecyparis white spot	Scheinzypresse	6,5-8,0	0,2-0,4
Chionanthus virginicus	Schneublume	6,0-6,5	0,2-0,4
Chrysanthemum indica		5,5-7,0	0,5-0,8
Cissus antarctica		5,0-6,5	0,4-0,6
Clematis alpina	Alpenwaldrebe	6,5-7,5	0,2-0,4
Clematis hybriden	Waldrebe	6,5-7,5	0,2-0,4
Clematis montana	Rote Waldrebe	6,5-8,0	0,2-0,4
Clematis paniculata	Herbstwaldrebe	6,5-8,0	0,2-0,4
Clematis tangutica	Goldwaldrebe	6,5-8,0	0,2-0,4
Clematis vitalba	Waldrebe	6,5-8,0	0,1-0,3
Clematis viticella	Ital. Waldrebe	7,0-8,0	0,1-0,3
Clethra alnifolia	Scheinelle	6,0-7,0	0,2-0,4
Clivia minata		5,5-6,5	0,3-0,4
Codiaeum (Croton)		5,0-6,0	0,2-0,4
Coleus		6,0-7,0	0,4-0,6
Columnnea		5,0-6,0	0,2-0,4
Colutea arborescens	Blasenstrauch	6,5-7,5	0,1-0,3
Convallaria		6,0-6,5	0,3-0,5
Cornus alba	Gemeiner-Hartriegel	6,0-8,0	0,1-0,3
Cornus alba kesselringii	Schwarzholz-Hartriegel	6,5-8,0	0,1-0,3
Cornus alba marginata	Weißbunter-Hartriegel	6,0-8,0	0,1-0,3
Cornus alba sibirica	Purpur-Hartriegel	6,0-8,0	0,2-0,4
Cornus alba spaethii	Gelbbunter-Hartriegel	6,5-7,5	0,2-0,4
Cornus alternifolia	Baumwachs	6,5-7,5	0,2-0,4
Cornus canadensis	Teppich-Hartriegel	4,0-6,0	0,1-0,3
Cornus condovera	Etagen-Hartriegel	6,5-8,0	0,2-0,4

<b>Botanic Name</b>	<b>German Name</b>	<b>pH-Value</b>	<b>AM-Value</b>
Cornus florida	Blumen-Hartriegel	6,0-7,0	0,2-0,4
Cornus konesa	Japanischer-Hartriegel	6,0-7,0	0,2-0,4
Cornus mas	Kornelkirsche	6,0-8,5	0,1-0,3
Cornus sanguinea	Roter-Hartriegel	6,5-8,5	0,1-0,3
Cornus stolonifera	Hoher-Hartriegel	6,5-8,0	0,1-0,3
Cornus stolonifera sericea	Rotholz-Hartriegel	6,5-8,0	0,1-0,3
Corylopsis panciflora	Glockenhasel	6,5-7,5	0,2-0,4
Corylopsis spicata	Glockenhasel	6,5-7,5	0,2-0,4
Corylus acellana	Rotblättrige Zellernuß	6,0-8,0	0,2-0,4
Corylus avellana	Wald-Haselnuß	6,0-8,5	0,1-0,3
Corylus avellana contorta	Korkenzieher-Haselnuß	6,0-8,0	0,2-0,4
Corylus colurna	Baum-Hasel	6,5-8,5	0,2-0,4
Corylus maxima	Großfrüchtige Haselnuß	6,5-7,5	0,1-0,3
Corylus maxima purpurea	Purpur-Haselnuß	6,0-8,0	0,2-0,4
Cotinus vogygyria	Perückenstrauch	6,5-8,0	0,2-0,4
Cotoneaster acutifolius	Spitzblättrige Felsenmispel	6,5-8,0	0,1-0,3
Cotoneaster adpressus	Zwergmispel	6,0-8,0	0,1-0,3
Cotoneaster bullatus	Strauchmispel	6,5-8,0	0,1-0,3
Cotoneaster d. skogholm	Böschungsmispel	6,5-8,0	0,1-0,3
Cotoneaster d. streibis findl.	Kriechmispel	6,5-8,0	0,2-0,4
Cotoneaster d. var. radicans	Teppichmispel	6,5-8,0	0,2-0,4
Cotoneaster dammeri	Zwergmispel	6,5-8,0	0,2-0,4
Cotoneaster dammeri	Kriechmispel	6,5-8,0	0,2-0,4
Cotoneaster dielsianus	Strauchmispel	6,5-8,0	0,1-0,3
Cotoneaster divaricatus	Strauchmispel	6,5-8,0	0,3-0,5
Cotoneaster franchetti	Strauchmispel	6,5-8,0	0,3-0,5
Cotoneaster horizontalis	Fächermispel	7,0-8,0	0,1-0,3
Cotoneaster microphyllus	Zwergmispel	6,5-8,0	0,2-0,4
Cotoneaster multiflorus	Strauchmispel	6,5-8,0	0,1-0,3
Cotoneaster pendulus	Hängemispel	6,5-8,0	0,1-0,3
Cotoneaster praecox	Felsenmispel	6,5-8,0	0,1-0,3
Cotoneaster salicifolius	Immergrüne Mispel	6,5-8,0	0,2-0,4
Crataegus carrierei	Apfeldorn	7,0-8,5	0,2-0,4
Crataegus laevigata	Rötdorn	7,0-8,0	0,1-0,3
Crataegus monogyna	Weißdorn	6,5-8,5	0,1-0,3
Crataegus monogyna-stricta	Säulendorn	7,0-8,0	0,2-0,4
Crataegus prunifolia	Pflaumendorn	6,5-8,5	0,1-0,3
Crataegus coccinea	Scharlachdorn	7,0-8,5	0,1-0,3
Crataegus crus-galli	Hahndorn	7,0-8,5	0,1-0,3
Crossandra		5,5-6,5	0,2-0,4
Cryptomeria japonica	Sicheltanne	7,0-8,0	0,2-0,4
Cupressocyparis leylandii		6,0-8,0	0,1-0,3
Cyclamen		5,5-6,5	0,4-0,6
Cymbidium		4,5-6,0	0,2-0,4
Cytisus beanii	Ginster	7,0-8,0	0,1-0,3
Cytisus decumbens	Kriechginster	7,0-8,0	0,1-0,3
Cytisus kewensis	Elfenbeinginster	7,0-8,0	0,1-0,3
Cytisus praecox	Elfenbeinginster	6,0-6,5	0,1-0,3
Cytisus purpurens	Purpurginster	6,5-8,5	0,1-0,3
Cytisus scoparius	Besenginster	6,0-7,0	0,1-0,3
Cytisus scoparius hybridus	Besenginster	6,0-6,5	0,2-0,4
Daboecia cantabrica	Irische Heide	4,5-5,5	0,2-0,4
Dahlia-Topf		6,0-7,0	0,4-0,6
Daphne mezereum	Weißer Seidelbast	7,5-8,5	0,1-0,3
Daphne genkya	Seidelbast	7,0-8,0	0,2-0,4
Davidia involuta	Taubenbaum	6,5-8,0	0,3-0,5
Decaisnea fargesii	Blauschote	7,0-7,5	0,2-0,4
Dendrobium		4,5-5,5	0,2-0,3
Deutzia gracilis	Maiblumenstrauch	6,0-8,0	0,1-0,4
Deutzia kamiflora	Deutzie weiß-rosa	6,0-8,0	0,1-0,4

<b>Botanic Name</b>	<b>German Name</b>	<b>pH-Value</b>	<b>AM-Value</b>
Deutzia magnifica	Deutzie weiß	6,0-8,0	0,1-0,4
Deutzia mont rose	Deutzie	6,0-8,0	0,1-0,4
Deutzia rosea	Deutzie	6,0-8,0	0,1-0,4
Deutzia scabra	Deutzie	6,0-8,0	0,1-0,4
Dianthus (Edelnelke)		6,0-7,0	0,5-0,8
Dieffenbachia		5,0-6,5	0,4-0,6
Dracaena		5,0-6,0	0,2-0,4
Elaeanus angustifolia	Ölweide	7,0-8,0	0,1-0,3
Elaeanus commutato	Silber-Ölweide	7,0-8,0	0,1-0,3
Elaeanus ebbingel	Wintergrüne Ölweide	6,5-8,0	0,1-0,3
Elaeanus multiflora	Eßbare Ölweide	6,5-8,5	0,1-0,3
Elaeanus pungens	Buntlaubige Ölweide	6,5-7,5	0,2-0,4
Enkianthus campanulatus	Prachglocke	4,5-6,5	0,2-0,4
Enkianthus nigrum	Krähenbeere	6,5-7,5	0,2-0,4
Erica alatus	Echte Heide	6,0-8,0	0,1-0,4
Erica carnea		4,5-6,0	0,3-0,6
Erica cinerea	Echte Heide	4,5-6,0	0,1-0,4
Erica gracilis		3,5-4,5	0,3-0,5
Erica tetralix	Echte Heide	4,5-6,0	0,1-0,4
Erica vagans	Echte Heide	4,5-6,0	0,1-0,4
Euonymus alatus	Korkspindel	6,0-7,0	0,2-0,4
Euonymus eropaeus	Pfaffenhütchen	7,0-8,5	0,1-0,3
Euonymus fortunei	Purpurkriechspindel	6,5-8,0	0,1-0,3
Euonymus planipis	Großfrüchtige Kriechspindel	6,5-8,0	0,1-0,3
Euphorbia fulgens		5,5-6,5	0,3-0,5
Euphorbia milii		5,5-6,5	0,4-0,6
Euphorbia pulch.		5,5-7,0	0,4-0,6
Exochorda racemosa	Prachspiere	5,0-7,0	0,1-0,3
Fagus silvatica	Rotbuche	6,0-8,0	0,1-0,3
Farne		4,5-6,0	0,3-0,5
Ficus decora		5,0-6,5	0,4-0,7
Ficus monstera		5,0-6,5	0,4-0,7
Forsythia	Goldglöckchen	6,0-8,0	0,2-0,4
Fothergilla gardenii	Niedriger Federbuschstrauch	5,5-7,0	0,2-0,4
Fothergilla mayor	Niedriger Federbuschstrauch	5,5-7,0	0,2-0,4
Fothergilla monticola	Niedriger Federbuschstrauch	5,5-7,0	0,2-0,4
Fraxinus excelsior	Gemeine Esche	5,5-8,5	0,1-0,3
Fraxinus ornus	Blumenesche	7,0-8,5	0,1-0,3
Fresia hybrida		6,0-7,0	0,2-0,4
Fuchsia Hybriden		5,5-6,5	0,3-0,5
Gardenia grandiflora		5,5-6,5	0,2-0,4
Gaultheria procumbens	Rote Scheinbeere	5,5-6,5	0,2-0,4
Gaultheria shallon	Hohe Teppichbeere	5,5-6,5	0,2-0,4
Genista lydia	Ginster	6,5-8,0	0,1-0,3
Genista radiata	Strahlenginster	6,5-8,0	0,1-0,3
Genista sagittalis	Pfeilginster	5,5-6,5	0,2-0,4
Genista tinctoria	Färberginster	5,5-6,5	0,1-0,3
Gerbera Beet		5,0-6,0	0,4-0,6
Gerbera Container		5,0-6,0	0,4-0,6
Gerbera jamesonii		5,0-6,5	0,3-0,5
Ginkgo biloba	Fächerblattbaum	6,0-8,0	0,2-0,4
Gladiolen-Haus		6,0-7,0	0,3-0,5
Gleditsia triacanthos	Lederhülsenbaum	6,5-8,5	0,2-0,4
Gymnocladus dioica	Geweihbaum	6,5-8,5	0,2-0,4
Halesia carolina	Maiglöckchenstrauch	5,5-7,0	0,2-0,4
Halesia monticola	Aufrechtes Silberglöckchen	6,5-7,0	0,2-0,4
Hamamelis japonica	Zaubernuß	6,0-6,5	0,2-0,4



<b>Botanic Name</b>	<b>German Name</b>	<b>pH-Value</b>	<b>AM-Value</b>
Hamamelis mollis	Lichtmeß-Zaubernuß	6,0-6,5	0,2-0,4
Hamamelis virginisana	Herbstblühende Zaubernuß	6,0-6,5	0,2-0,4
Hedera		5,5-7,0	0,4-0,6
Hedera colchiea	Efeu	6,0-8,0	0,2-0,4
Hedera helix	Gemeiner Efeu	6,0-8,5	0,2-0,4
Hedera helix - goldheart	Bunter Kletterefeu	6,0-7,0	0,2-0,4
Hibiscus		5,5-6,5	0,4-0,7
Hibiscus syriacus	Eibisch	6,5-8,0	0,2-0,4
Hippeastrum-Topf		6,0-7,0	0,3-0,5
Hippophae rhamnoides	Sanddorn	7,0-8,5	0,1-0,3
Holodiscus discolor	Scheinspiere	6,0-7,0	0,1-0,3
Hydrangea arb. grandiflora	Ball-Hortensie	6,0-6,5	0,2-0,4
Hydrangea arborescens	Hortensie	6,0-7,0	0,2-0,4
Hydrangea aspera ssp.	Hortensie	5,0-6,0	0,2-0,4
Hydrangea aspera var.	Hortensie	4,0-6,0	0,2-0,4
Hydrangea blau		3,5-4,5	0,3-0,6
Hydrangea hybriden	Bauernhortensie	6,0-6,5	0,2-0,4
Hydrangea paniculata	Pispenhortensie	6,0-7,0	0,2-0,4
Hydrangea petiolaris	Kletterhortensie	6,0-6,5	0,2-0,4
Hydrangea rot/weiß		5,5-6,5	0,3-0,6
Hydrangea sargentiana	Samthortensie	4,0-6,0	0,2-0,4
Hypericum calycinum	Johanniskraut	6,5-8,5	0,1-0,3
Hypericum moserianum	Johanniskraut	6,5-8,5	0,1-0,3
Hypericum patulum	Johanniskraut	6,5-8,5	0,1-0,3
Ilex aquifolium	Stechpalme-Hülse	6,0-8,0	0,2-0,4
Ilex aquifolium - myrtifolium	Lanzen-Hülse	5,5-7,0	0,2-0,4
Ilex crenata	Japanische Stechpalme	5,5-6,5	0,2-0,4
Ilex verticillata	Korallen-Hülse	6,0-8,0	0,2-0,4
Impatiens		5,5-6,5	0,4-0,6
Jasminum nudiflorum	Winter-Jasmin	7,0-8,5	0,2-0,4
Juglans regia	Walnuß	6,5-8,0	0,2-0,4
Juniperus chin. mint julep	Wacholder	6,0-8,0	0,1-0,3
Juniperus chin. old gold	Wacholder	6,0-8,0	0,2-0,4
Juniperus chin. pfitzeriana	Wacholder	6,0-8,0	0,1-0,3
Juniperus chin. plumosa	Wacholder	6,0-8,0	0,2-0,4
Juniperus chinensis blaauw	Wacholder	6,0-8,0	0,2-0,4
Juniperus chinensis hetzii	Wacholder	6,0-8,0	0,1-0,3
Juniperus comm. horizontalis	Wacholder	6,0-8,0	0,1-0,3
Juniperus comm. hornibrokkii	Wacholder	6,0-8,0	0,1-0,3
Juniperus comm. meyer	Wacholder	6,0-8,0	0,1-0,3
Juniperus comm. repanda	Wacholder	6,0-8,0	0,1-0,3
Juniperus comm. sabina femina	Sadebaum	6,0-8,0	0,1-0,3
Juniperus comm. sabina tamar.	Sadebaum	6,0-8,0	0,1-0,3
Juniperus comm. suecica	Wacholder	6,0-8,0	0,1-0,3
Juniperus communis hibernica	Wacholder	6,0-8,0	0,1-0,3
Juniperus grey owl	Wacholder	6,0-8,5	0,1-0,3
Juniperus skyrocket	Wacholder	6,0-8,0	0,2-0,4
Juniperus squam. blue star	Wacholder	6,0-7,0	0,1-0,3
Juniperus squam. meyeri	Wacholder	6,0-8,0	0,1-0,3
Juniperus squamata blue car.	Wacholder	6,0-8,0	0,1-0,3
Juniperus virginiana canaertii	Wacholder	6,0-8,5	0,2-0,4
Juniperus virginiana glauca	Wacholder	6,0-8,5	0,2-0,4
Kakteen		6,0-7,0	0,3-0,4
Kalanchoe		5,5-6,5	0,3-0,5
Kalmia angustifolia	Lorbeerrose	5,0-6,0	0,2-0,4
Kalmia latifolia	Berglorbeere	5,0-6,0	0,2-0,4
Kerria japonica	Ranunkelstrauch	5,5-6,5	0,2-0,4
Koelreuteria paniculata	Blasenbaum	6,5-8,5	0,2-0,4
Kolkwitzia amabilis	Kolkwitzie	6,5-8,5	0,1-0,3
Laburnum anagyroides	Goldregen	6,0-8,0	0,1-0,3

<b>Botanic Name</b>	<b>German Name</b>	<b>pH-Value</b>	<b>AM-Value</b>
Larix kaempferi	Japanische Lärche	6,0-8,0	0,1-0,3
Larix kaempferi diana	Japanische Lärche	6,0-8,0	0,1-0,3
Larix kaempferi pendula	Japanische Hängelärche	6,0-8,0	0,2-0,4
Larix decidua	Europäische Lärche	6,0-8,0	0,1-0,3
Lathyros odoratus		6,0-7,0	0,3-0,5
Lespedeza thunbergii	Buschklee	6,5-8,0	0,2-0,4
Leucothoe catesbaei	Lorbeerkrüglein	4,5-6,5	0,2-0,4
Ligustrum delavayanum	Liguster	6,5-8,0	0,2-0,4
Ligustrum obtusifolium	Liguster	6,0-7,5	0,1-0,3
Ligustrum ovalifolium	Liguster	6,5-8,0	0,1-0,3
Ligustrum vulgare	Gemeiner Liguster	6,0-8,5	0,1-0,3
Lilium hybridum		5,5-7,0	0,3-0,5
Liquidambar styraciflua	Amberbaum	6,0-7,0	0,2-0,4
Liriodendron tulipifera	Tulpenbaum	6,0-7,0	0,2-0,4
Lobelia		6,0-7,0	0,3-0,4
Lonicera acuminata	Heckenkirsche	7,0-8,0	0,2-0,4
Lonicera caprifolium	Heckenkirsche	7,0-8,0	0,2-0,4
Lonicera heckrottii	Duft-Geißblatt	7,0-8,0	0,2-0,4
Lonicera henryi	Immergrünes Geißblatt	7,0-8,0	0,2-0,4
Lonicera japonica	Gelbbuntes Geißblatt	7,0-8,0	0,2-0,4
Lonicera korokowii	Geißblatt	6,5-8,0	0,1-0,3
Lonicera ledeborwii	Geißblatt	6,5-8,0	0,1-0,3
Lonicera maacklii	Geißblatt	6,5-8,0	0,1-0,3
Lonicera nitida	Geißblatt	6,5-8,5	0,1-0,3
Lonicera pileata	Geißblatt	6,0-8,0	0,1-0,3
Lonicera tatarica	Geißblatt	6,0-8,0	0,1-0,3
Lonicera teilmanniana	Geißblatt	6,5-7,0	0,2-0,4
Lonicera xylosteum	Gemeine Heckenkirsche	7,0-8,5	0,1-0,3
Lycium halimifolium	Bocksdorn	6,5-8,5	0,1-0,3
Magnolia kobus	Magnolie	5,5-7,5	0,2-0,4
Magnolia lilliflora	Magnolie	6,5-8,0	0,2-0,4
Magnolia loebneri	Magnolie	5,5-7,5	0,2-0,4
Magnolia soulangiana	Tulpenmagnolie	5,5-7,0	0,2-0,4
Magnolia stellata	Sternmagnolie	6,5-8,0	0,2-0,4
Mahonia aquifolium	Mahonie	6,0-8,0	0,1-0,3
Mahonia beallii	Mahonie	6,0-8,0	0,1-0,3
Mahonia wintersun	Wintermahonie	6,0-8,0	0,1-0,3
Malus hybrida	Zierapfel	7,0-8,0	0,2-0,4
Matthiola		6,0-7,0	0,4-0,6
Metasequoia glyptostrob.	Urweltmammutbaum	6,0-8,0	0,1-0,3
Microbiota decussata	Sibirischer Fächerwacholder	6,0-8,0	0,2-0,4
Monstera deliciosa		5,0-6,5	0,4-0,7
Morus alba	Maulbeerbaum	7,0-8,5	0,2-0,4
Nerium oleander		5,5-6,5	0,4-0,6
Nothofagus antarctica	Pfennigbuche	5,5-6,5	0,2-0,4
Orchideen epiphyt.		4,5-5,5	0,2-0,3
Pachysandra terminalis	Schattengrün	6,0-8,0	0,2-0,4
Palmen		5,5-7,0	0,3-0,5
Paphiopedilum		4,5-5,5	0,2-0,3
Parrotia persica	Eisenholzbaum	6,5-8,0	0,2-0,4
Parthenocissus quiquefolia	Jungfernrebe	7,0-8,0	0,2-0,4
Parthenocissus trispidata	Jungfernrebe	7,0-8,0	0,2-0,4
Paulownia tomentosa	Blauglockenbaum	7,0-8,5	0,2-0,4
Pelargonium peltatum		5,5-7,0	0,4-0,6
Pelargonium zonale		5,5-7,0	0,4-0,6
Peperomia		5,0-6,5	0,3-0,5

<b>Botanic Name</b>	<b>German Name</b>	<b>pH-Value</b>	<b>AM-Value</b>
<i>Pernettya mucronata</i>	Torfmyrte	5,0-6,0	0,2-0,4
<i>Perovskia abrotanoides</i>	Blaurute	7,0-8,5	0,2-0,4
<i>Petunia hybrida</i>		5,5-6,5	0,3-0,5
<i>Philadelphus coronarius</i>	Falscher Jasmin	6,5-8,5	0,1-0,3
<i>Philadelphus inodorus</i> var.	Falscher Jasmin	6,5-8,5	0,1-0,3
<i>Philodendron</i>		5,0-6,0	0,4-0,6
<i>Photinia fraserie</i>	Glanzmispel	5,0-6,0	0,2-0,4
<i>Photinia villosa</i>	Glanzmispel	5,0-6,0	0,2-0,4
<i>Physocarpus opulifolius</i>	Blasenspiere	6,0-7,0	0,1-0,3
<i>Picea abies nidiformis</i>	Nestfichte	6,0-8,0	0,2-0,4
<i>Picea abies ohlendorfü</i>	Kegelfichte	6,0-8,0	0,2-0,4
<i>Picea abies</i>	Rotfichte	6,0-8,0	0,1-0,3
<i>Picea abies acrocona</i>	Zapfenfichte	6,0-8,0	0,2-0,4
<i>Picea abies columnaris</i>	Säulenfichte	6,0-8,0	0,2-0,4
<i>Picea abies echiniformis</i>	Igelfichte	6,0-8,0	0,2-0,4
<i>Picea abies inversa</i>	Hängefichte	6,0-8,0	0,2-0,4
<i>Picea abies little gern</i>	Zwergkonifere	6,0-8,0	0,2-0,4
<i>Picea abies maxwellii</i>	Zwergkonifere	6,0-8,0	0,2-0,4
<i>Picea abies procumbens</i>	Zwergkonifere	6,0-8,0	0,2-0,4
<i>Picea abies pumila glauca</i>	Zwergkonifere	6,0-8,0	0,2-0,4
<i>Picea abies pygmaea</i>	Zwergkonifere	6,0-8,0	0,2-0,4
<i>Picea abies virgata</i>	Schlangenfichte	6,0-8,0	0,2-0,4
<i>Picea breweriana</i>	Mähnenfichte	6,0-8,0	0,2-0,4
<i>Picea glauca alberts globe</i>	Kugelfichte	6,0-8,0	0,2-0,4
<i>Picea glauca conica</i>	Zuckerhutfichte	6,0-8,0	0,2-0,4
<i>Picea glauca echiniformis</i>	Blauigelfichte	6,0-8,0	0,2-0,4
<i>Picea koster</i>	Blaufichte	6,0-8,5	0,2-0,4
<i>Picea omorika</i>	Serbische Fichte	6,0-8,0	0,2-0,4
<i>Picea omorika nana</i>	Serbische Kegelfichte	6,0-8,0	0,2-0,4
<i>Picea orientalis</i>	Orientalische Fichte	6,0-8,0	0,1-0,3
<i>Picea orientalis area</i>	Orientalische Gold Fichte	6,0-8,0	0,2-0,4
<i>Picea orientalis nutans</i>	Orientalische Fichte	6,0-8,0	0,2-0,4
<i>Picea pendula bruns</i>	Serbische Hängefichte	6,0-8,0	0,2-0,4
<i>Picea pungens glauca</i>	Blaustechfichte	6,5-8,5	0,1-0,3
<i>Picea pungens glauca globos</i>	Fichte	6,0-8,0	0,2-0,4
<i>Picea pungens hoopsii</i>	Silberfichte	6,0-8,5	0,2-0,4
<i>Picea purpurea</i>	Purpurfichte	6,0-8,0	0,2-0,4
<i>Picea sitchensis</i>	Sitkafichte	6,0-8,0	0,1-0,3
<i>Pieris floribunda</i>	Lavendelheide	4,5-6,0	0,2-0,4
<i>Pieris japonica</i>	Lavendelheide	4,5-6,0	0,2-0,4
<i>Pinus aristata</i>	Fuchsschwanzkiefer	6,0-8,0	0,2-0,4
<i>Pinus cembra</i>	Zirbelkiefer	6,0-8,5	0,1-0,3
<i>Pinus cembra glauca</i>	Blaue Zirbelkiefer	6,0-8,5	0,2-0,4
<i>Pinus cembra nana</i>	Zwergkiefer	6,0-8,0	0,2-0,4
<i>Pinus contorta</i>	Drehkiefer	6,0-8,0	0,2-0,4
<i>Pinus densiflora pumila</i>	Zwergkiefer	6,0-8,0	0,2-0,4
<i>Pinus flexilis glauca</i>	Kiefer	6,5-8,0	0,2-0,4
<i>Pinus koraiensis glauca</i>	Kiefer	6,5-8,0	0,2-0,4
<i>Pinus leucodermis</i>	Bosnische Kiefer	7,0-8,5	0,2-0,4
<i>Pinus mini mops</i>	Zwergkiefer	6,0-8,0	0,2-0,4
<i>Pinus monticola</i>	Kiefer	6,5-8,0	0,2-0,4
<i>Pinus mops</i>	Breitkiefer	6,0-8,0	0,2-0,4
<i>Pinus muqhus</i>	Krummholzkiefer	6,0-8,0	0,2-0,4
<i>Pinus muqo qnom</i>	Zwergkiefer	6,0-8,0	0,2-0,4
<i>Pinus muqo montana</i>	Bergkiefer	6,0-8,0	0,1-0,3
<i>Pinus muqo pumilio</i>	Zwergkiefer	6,0-8,0	0,1-0,3
<i>Pinus nigra austriaca</i>	Österreichische Kiefer	6,0-8,5	0,1-0,3
<i>Pinus nigra select</i>	Kiefer	6,0-8,5	0,2-0,4
<i>Pinus parviflora glauca</i>	Blaue Mädchen Kiefer	6,5-8,0	0,2-0,4
<i>Pinus peuce</i>	Rumelische Kiefer	6,5-8,0	0,2-0,4
<i>Pinus pumila glauca</i>	Zwergkiefer	6,5-8,0	0,2-0,4
<i>Pinus schwerinii</i>	Kiefer	6,5-8,0	0,2-0,4
<i>Pinus sil. nana hibernica</i>	Zwergkiefer	6,0-8,0	0,2-0,4
<i>Pinus sil. waterer</i>	Silberkiefer	6,0-8,0	0,2-0,4

<b>Botanic Name</b>	<b>German Name</b>	<b>pH-Value</b>	<b>AM-Value</b>
<i>Pinus silvestris</i>	Gemeine Kieferföhre	6,0-8,5	0,1-0,3
<i>Pinus silvestris fastigiata</i>	Säulenkiefer	6,0-8,0	0,2-0,4
<i>Pinus silvestris glauca</i>	Kiefer	6,0-8,0	0,2-0,4
<i>Pinus strobus lilliput</i>	Zwergkiefer	5,5-7,0	0,2-0,4
<i>Pinus strobus radiata</i>	Zwergkiefer	5,5-7,0	0,2-0,4
<i>Pinus wall. densa hill</i>	Kiefer	5,5-7,0	0,2-0,4
<i>Pinus wallichiana</i>	Tränenkiefer	5,5-7,0	0,2-0,4
<i>Plantanus acerifolia</i>	Platane	7,0-8,5	0,1-0,3
<i>Polygonum aubertii</i>	Blätterknöterich	6,0-8,5	0,1-0,3
<i>Populus alba</i>	Silberpappel	6,5-8,5	0,1-0,3
<i>Populus balsamifera</i>	Balsampappel	6,5-8,0	0,1-0,3
<i>Populus berolinensis</i>	Lorbeerpappel	6,5-8,0	0,1-0,3
<i>Populus canescens</i>	Graupappel	6,0-8,0	0,1-0,3
<i>Populus lasiocarpa</i>	Graupappel	6,0-8,0	0,1-0,3
<i>Populus nigra</i>	Schwarzpappel	6,5-8,0	0,1-0,3
<i>Populus robusta</i>	Holzpappel	6,5-8,0	0,1-0,3
<i>Populus simonii</i>	Birkenpappel	6,0-8,0	0,1-0,3
<i>Populus tremula</i>	Zitterpappel-Espe	6,0-8,5	0,1-0,3
<i>Potentilla arbuscula</i>	Fünffingerstrauch	5,5-7,0	0,2-0,5
<i>Potentilla fruticosa</i>	Fünffingerstrauch	5,5-7,0	0,2-0,5
<i>Primula obconia</i>		5,5-7,0	0,3-0,4
<i>Primula vulg./acaulis</i>		5,5-6,5	0,2-0,4
<i>Prunus avium</i>	Pflaume	7,0-8,5	0,2-0,4
<i>Prunus avium</i>	Vogelkirsche	6,0-8,0	0,1-0,3
<i>Prunus cerasifera</i>	Blutpflaume	7,0-8,5	0,2-0,4
<i>Prunus cixtena</i>	Zierpflaume	7,0-8,5	0,2-0,4
<i>Prunus laurocerasus</i>	Immergrün-Hartriegel	6,5-7,0	0,2-0,4
<i>Prunus laurocerasus</i>	Otto Luyken	6,0-8,0	0,2-0,4
<i>Prunus mahaleb</i>	Weichselkirsche	7,0-8,5	0,1-0,3
<i>Prunus padus</i>	Traubenkirsche	6,0-8,0	0,1-0,3
<i>Prunus sargentii</i>	Zierpflaume	7,0-8,5	0,2-0,4
<i>Prunus serotina</i>	Späte Traubenkirsche	6,0-8,0	0,1-0,3
<i>Prunus serrula</i>	Zierpflaume	7,0-8,5	0,2-0,4
<i>Prunus serrulata</i>	Zierpflaume	7,0-8,5	0,2-0,4
<i>Prunus spinosa</i>	Schlehe	6,0-8,5	0,1-0,3
<i>Prunus subhirtella</i>	Zierpflaume	7,0-8,5	0,2-0,4
<i>Prunus tenella</i>	Zierpflaume	7,0-8,5	0,2-0,4
<i>Prunus triloba</i>	Zierpflaume	7,0-8,5	0,2-0,4
<i>Prunus yedoensis</i>	Zierpflaume	7,0-8,5	0,2-0,4
<i>Pseudotsuga japonica</i>	Bambus	6,0-8,0	0,2-0,4
<i>Pseudotsuga menziesii</i>	Douglasie	5,5-7,0	0,1-0,3
<i>Pterocarya fraxinifolia</i>	Flügelnuß	6,0-8,0	0,2-0,4
<i>Pyraantha</i>	Feuerdorn	6,5-8,5	0,1-0,3
<i>Pyrus calleryana</i>	Birne	7,0-8,0	0,2-0,4
<i>Pyrus salicifolia</i>	Birne	7,0-8,5	0,1-0,3
<i>Quercus cerris</i>	Zerreiche	6,5-8,5	0,2-0,4
<i>Quercus coccinea</i>	Scharlacheiche	7,0-8,0	0,2-0,4
<i>Quercus frainetto</i>	Ungarische Eiche	6,0-8,0	0,2-0,4
<i>Quercus macranthera</i>	Persische Eiche	6,0-8,0	0,2-0,4
<i>Quercus palustris</i>	Sumpf-Eiche	6,0-7,5	0,1-0,3
<i>Quercus petraea</i>	Winter-Eiche	6,0-8,0	0,1-0,3
<i>Quercus pontica</i>	Kaukasus-Eiche	6,0-8,0	0,2-0,4
<i>Quercus pseudoturneri</i>	Wintergrüne Eiche	6,0-8,0	0,2-0,4
<i>Quercus robur</i>	Deutsche Eiche	6,0-8,0	0,1-0,3
<i>Quercus rubra</i>	Amerikanische-Roteiche	6,0-7,0	0,1-0,3
<i>Rhamnus catharticus</i>	Kreuzdorn-Faulbaum	7,0-8,5	0,1-0,3
<i>Rhamnus frangula</i>	Faulbaum-Pulverholz	6,0-8,0	0,1-0,3
<i>Rhododendron diamant</i>	Azaleen	4,0-5,5	0,2-0,4
<i>Rhododendron Gristeder</i>	Alpenrose	4,0-6,5	0,2-0,4
<i>Rhododendron Hybriden</i>	Alpenrose	4,0-6,5	0,2-0,4
<i>Rhododendron japanische</i>	Azaleen	4,0-5,5	0,2-0,4
<i>Rhododendron kostermanum</i>	Azalea mollis + pontica	4,0-5,5	0,2-0,4

<b>Botanic Name</b>	<b>German Name</b>	<b>pH-Value</b>	<b>AM-Value</b>
Rhododendron sommergrüne	Großblumige Azaleen	4,0-5,5	0,2-0,4
Rhododendron yakusimanum	Alpenrose	5,5-7,0	0,2-0,4
Rhododendron Zwergformen	Alpenrose	4,0-6,5	0,2-0,4
Rhus typhina	Essigbaum	6,0-8,0	0,1-0,3
Ribes alpinum	Johannisbeere	6,0-8,0	0,1-0,3
Ribes aureum	Gold-Johannisbeere	5,0-6,0	0,1-0,3
Ribes divaricatum	Stachelbeere	6,0-8,0	0,1-0,3
Ribes sanguineum	Stachelbeere	6,0-8,0	0,1-0,3
Robinia hispida	Scheinakazie	7,0-8,0	0,1-0,3
Robinia pseudoacacis	Scheinakazie	7,0-8,5	0,1-0,3
Rose blanda	Wildrosen	7,0-8,5	0,1-0,3
Rose canina	Hundsrose	6,5-8,5	0,1-0,3
Rose carolina	Sandrose	5,5-6,5	0,1-0,3
Rose glauca	Blaue Hechtrose	6,0-8,0	0,1-0,3
Rose multibroctata	Wildrose	6,0-8,0	0,1-0,3
Rose multiflora	Wildrose	5,5-7,0	0,1-0,3
Rose nitida	Glanzrose	6,0-7,0	0,1-0,3
Rose pimpinellifolia	Dünenrose	7,0-8,5	0,1-0,3
Rose polyantha	Beetrosen	6,5-8,0	0,2-0,4
Rose polyantha	Edelrosen	6,5-8,0	0,2-0,4
Rose polyantha	Strauchrosen	6,5-8,0	0,1-0,3
Rose polyantha	Kletterrosen	6,5-8,0	0,2-0,4
Rose polyantha	Zwergbangalrosen	6,5-8,0	0,2-0,4
Rose rubiginosa	Zaunrose	7,0-8,5	0,1-0,3
Rose rugosa	Apfelrose	5,5-7,0	0,1-0,6
Rose rugotida	Zwergrose	5,5-6,5	0,1-0,3
Rosen - Freiland		5,5-7,0	0,2-0,4
Rosen - Haus		5,5-7,0	0,3-0,6
Rubus calycinoides	Teppich-Brombeere	6,0-8,0	0,2-0,4
Rubus fruticosus	Gemeine Brombeere	6,0-8,0	0,1-0,3
Rubus idaeus	Gemeine Himbeere	6,0-8,0	0,1-0,3
Rubus leucodermis	Himbeere	6,0-8,0	0,1-0,3
Rubus odoratus	Zimt-Himbeere	7,0-8,0	0,1-0,3
Rubus phoenicolasius	Japanische Weinbeere	7,0-8,0	0,1-0,3
Rubus tricolor	Japanische Weinbeere	5,5-7,0	0,2-0,4
Saintpaulia ionantha		5,0-6,5	0,3-0,5
Salix acutifolia	Weide	5,5-8,0	0,1-0,3
Salix alba	Trauerweide	5,5-8,0	0,1-0,3
Salix aurita	Ohrweide	5,5-7,0	0,1-0,3
Salix balsamifera	Gelbe Stein-Weide	6,0-8,0	0,1-0,3
Salix caprea	Salweide	4,0-8,0	0,1-0,3
Salix cinerea	Aschweide	5,5-7,0	0,1-0,3
Salix daphnoides	Reifweide	7,0-8,5	0,1-0,3
Salix purpurea	Korbweide	6,5-8,5	0,1-0,3
Salix purpurea nana	Kugelweide	6,5-8,5	0,1-0,3
Salix purpurea pendula	Hängeweide	6,5-8,0	0,1-0,3
Salix repens	Kriechweide	5,5-7,0	0,1-0,3
Salix rosmarinifolia	Rosmarinweide	6,0-8,0	0,1-0,3
Salix sekka	Drachenweide	5,5-7,0	0,1-0,3
Salix smithiana	Küblerweide	5,5-6,5	0,1-0,3
Salix tortuosa	Zickzackweide	6,0-8,0	0,1-0,3
Salix viminalis	Hanfweide	6,0-8,5	0,1-0,3
Salix werhahnii	Engadinweide	6,0-8,0	0,1-0,3
Salvia splendens		6,0-7,0	0,4-0,6
Sambucus canadensis	Holunder	6,0-8,0	0,1-0,3
Sambucus nigra	Schwarzer Holunder	6,0-8,0	0,1-0,3
Sambucus racemosa	Trauben Holunder	6,0-7,0	0,1-0,3
Sansevieria		5,0-6,5	0,3-0,5
Sciadopitys verticillata	Schirmtanne	5,5-7,0	0,2-0,4
Selaginella		4,5-5,5	0,3-0,5
Senecia Cineraria		5,5-6,5	0,4-0,6
Sequoiadendron giganteum	Mammutbaum	6,0-8,0	0,1-0,3

<b>Botanic Name</b>	<b>German Name</b>	<b>pH-Value</b>	<b>AM-Value</b>
Sinarundinaria murillae	Winterhafter Bambus	6,5-7,5	0,2-0,4
Sinarundinaria nitida	Halbrohrbambus	6,5-7,5	0,2-0,4
Sinningia speciosa		5,0-6,5	0,3-0,6
Skimmia foremanii	Skimmie	6,0-8,0	0,2-0,4
Skimmia japonica	japanische Skimmie	6,0-8,0	0,2-0,4
Solanum pseudocaps.		5,5-6,5	0,3-0,5
Sophora japonica	Schnurbaum	6,5-8,5	0,2-0,4
Sorbaria sorbifolia	Federspiere	6,0-8,0	0,1-0,3
Sorbus americana	Eberesche	6,0-8,0	0,2-0,4
Sorbus aria	Mehlbeere	6,0-8,0	0,1-0,3
Sorbus aucuparia	Gemeine Eberesche	6,0-8,0	0,1-0,3
Sorbus edulis	Eßbare Eberesche	6,0-8,0	0,1-0,3
Sorbus fastigiata	Säuleneberesche	6,0-8,0	0,1-0,3
Sorbus intermedia	Schwedische Mehlbeere	6,5-8,5	0,1-0,3
Sorbus koehneana	China Mehlbeere	7,0-8,0	0,2-0,4
Sorbus lombarts hybriden	China Mehlbeere	6,0-8,0	0,2-0,4
Sorbus serotina	China Mehlbeere	6,0-8,0	0,2-0,4
Sorbus thuringiaca	thüringische Säuleneberesche	6,0-8,0	0,2-0,4
Sorbus vilmorinii	Kübel-Eberesche	6,0-8,0	0,2-0,4
Spirea albiflora	Weißer Zwergspiere	6,0-8,0	0,2-0,4
Spirea arguta	Schneespriere	6,0-8,0	0,1-0,3
Spirea decumbens	Polsterspiere	6,0-8,0	0,2-0,4
Spirea froebelii	Kleine Spiere	6,0-8,0	0,1-0,3
Spirea grefsheim	Mittlere Spiere	6,0-8,0	0,1-0,3
Spirea little princess	Zwerg Spiere	6,0-8,0	0,1-0,3
Spirea nipponica	Hohe Spiere	6,0-8,0	0,1-0,3
Spirea prunifolia	Mittlere Spiere	6,0-8,0	0,1-0,3
Spirea thunbergii	Zwergspiere	6,0-7,0	0,2-0,4
Spirea vanhouttei	Prachtspiere	6,0-8,0	0,1-0,3
Staphylea colchica	Pimpernuß	6,0-8,0	0,2-0,4
Statice fatarica		6,0-7,0	0,3-0,4
Stephanandra crispa	Kranzspiere	5,5-6,5	0,1-0,3
Stephanandra incisa	Kranzspiere	6,0-7,0	0,2-0,4
Stranvaesia davidiana	Stanvaesie	6,0-8,0	0,2-0,4
Strelitzien		5,0-6,5	0,4-0,6
Streptocarpus hybriden		5,0-6,5	0,3-0,5
Symphoricarpus albus	Schneebeere	6,0-8,0	0,1-0,3
Symphoricarpus orbiculatos	Korallenbeere	6,0-8,0	0,1-0,3
Syringia		6,0-7,0	0,2-0,4
Syringia chinensis	Königsflieder	6,0-8,5	0,2-0,4
Syringia josikaea	Ungarischer Flieder	5,5-6,5	0,2-0,4
Syringia microphylla	Kleiner Strauchflieder	5,5-6,5	0,2-0,4
Syringia reflexa	Bogenflieder	5,5-6,5	0,2-0,4
Syringia saugeana	Roter Königsflieder	6,0-8,0	0,2-0,4
Syringia swegiflexa	Perlenflieder	5,5-6,5	0,2-0,4
Syringia velutina	Samtflieder	5,5-6,5	0,2-0,4
Syringia vulgaris	Gemeiner Flieder	6,0-8,5	0,1-0,3
Tamarix odessana	Sommer-Tamariske	6,0-8,5	0,1-0,3
Tamarix parviflora	Frühlings-Tamariske	7,0-8,5	0,1-0,3
Tamarix pentandra	Heide-Tamariske	7,0-8,0	0,1-0,3
Taxodium distichum	Sumpfyypresse	4,5-6,5	0,1-0,3
Taxus bac. aureovariegata	Eibe	6,0-8,5	0,2-0,4
Taxus bac. dovastoniana	Buschige Eibe	6,0-8,5	0,2-0,4
Taxus bac. fast. aureomarg.	Eibe	6,0-8,5	0,2-0,4
Taxus bac. fastigiata	Eibe	6,0-8,5	0,2-0,4
Taxus bac. nis. präsidant	Eibe	6,0-8,5	0,1-0,3
Taxus bac. nissens corona	Eibe	6,0-8,5	0,1-0,3
Taxus bac. overeynderi	Eibe	6,0-8,5	0,1-0,3

<b>Botanic Name</b>	<b>German Name</b>	<b>pH-Value</b>	<b>AM-Value</b>
Taxus bac. repandens	Eibe	6,0-8,5	0,2-0,4
Taxus bac. robusta	Eibe	6,0-8,5	0,2-0,4
Taxus bac. semperaurea	Eibe	6,0-8,5	0,2-0,4
Taxus bac. sommergold	Eibe	6,0-8,5	0,2-0,4
Taxus bac. washingtonü	Eibe	6,0-8,0	0,2-0,4
Taxus baccata	Gemeine Eibe	6,0-8,5	0,1-0,3
Taxus cuspidata nan	Zwergeibe	6,0-8,0	0,2-0,4
Taxus media brownii	Eibe	6,0-8,5	0,1-0,3
Taxus media densiformis	Eibe	6,0-8,5	0,1-0,3
Taxus media farmen	Eibe	6,0-8,5	0,1-0,3
Taxus media hicksii	Eibe	6,0-8,5	0,1-0,3
Taxus media hillii	Eibe	6,0-8,5	0,1-0,3
Taxus media strait hedge	Eibe	6,0-8,5	0,1-0,3
Thijopsis dolobrata	Hibalebensbaum	6,0-8,0	0,2-0,4
Thuja occid. columna	Lebensbaum	6,0-8,0	0,1-0,3
Thuja occid. danica	Lebensbaum	6,0-8,0	0,2-0,4
Thuja occid. europagold	Lebensbaum	6,0-8,0	0,2-0,4
Thuja occid. holmstrup	Lebensbaum	6,0-8,0	0,1-0,3
Thuja occid. recurva nana	Lebensbaum	6,0-8,0	0,1-0,3
Thuja occid. rheingold	Lebensbaum	6,0-8,0	0,2-0,4
Thuja occid. smaragd	Lebensbaum	6,0-8,0	0,1-0,3
Thuja occid. sunkist	Lebensbaum	6,0-8,0	0,2-0,4
Thuja occid. tinny tim	Lebensbaum	6,0-8,5	0,2-0,4
Thuja occidentalis	Abendländischer Lebensbaum	6,0-8,0	0,1-0,3
Thuja orientalis aurea	Lebensbaum	7,0-8,5	0,2-0,4
Thuja plicata aurescens	Lebensbaum	6,0-8,0	0,1-0,3
Thuja plicata excelsa	Lebensbaum	6,0-8,0	0,1-0,3
Thuja standishii	Lebensbaum	6,0-8,0	0,1-0,3
Tilia americana	Amerikanische Linde	6,0-8,0	0,2-0,4
Tilia cordata	Winter Linde	6,0-8,0	0,1-0,3
Tilia euchlora	Krim Linde	6,0-8,0	0,2-0,4
Tilia intermedia	Holländische Linde	6,0-8,0	0,2-0,4
Tilia pallida	Kaiser Linde	6,0-8,0	0,2-0,4
Tilia platyphyllos	Sommer Linde	6,0-8,0	0,2-0,4
Tsuga canadensis	Hermlockstanne	5,5-7,0	0,2-0,4
Tsuga canadensis nana	Tanne	5,5-7,0	0,2-0,4
Tsuga canadensis pendula	Tanne	5,5-7,0	0,2-0,4
Tsuga heterophylla	Tanne	6,0-8,0	0,1-0,3
Ulmus carpinifolia	Feld Ulme	6,5-8,5	0,1-0,3
Ulmus glabra	Berg Ulme	7,0-8,5	0,1-0,3
Ulmus wredei	Gold Ulme	6,0-8,0	0,2-0,4
Vaccinium vitis idea	Preiselbeere	4,5-6,0	0,2-0,4
Vaccinium corymbosum	Heidelbeere	4,5-6,0	0,2-0,4
Verbenen		5,5-6,5	0,3-0,5
Viburnum bodnantense	Winterschneeball	4,5-6,0	0,2-0,4
Viburnum burkwoodii	Winterschneeball	6,0-8,0	0,2-0,4
Viburnum carcephalum	Großblumiger Schneeball	6,0-7,5	0,2-0,4
Viburnum cariesii	Schneeball	6,0-7,5	0,2-0,4
Viburnum davidii	Schneeball	6,0-7,5	0,2-0,4
Viburnum fragrans	Duftschneeball	6,0-8,0	0,2-0,4
Viburnum lautana	Wolliger Schneeball	6,0-8,5	0,1-0,3
Viburnum opulus	Gemeiner Schneeball	6,0-8,5	0,1-0,3
Viburnum plicatum	Schneeball	6,0-8,0	0,2-0,4
Viburnum rhytidophyllum	Immergrüner Schneeball	6,0-8,5	0,1-0,3
Vinca minor	Immergrün	6,0-8,0	0,1-0,3
Viola-Freiland		6,0-7,0	0,1-0,3
Viola-Topfkultur		5,5-6,5	0,3-0,4
Vriesea splendens		4,5-5,5	0,2-0,4
Weigela florida	Weigelie	6,0-7,0	0,2-0,4

<b>Botanic Name</b>	<b>German Name</b>	<b>pH-Value</b>	<b>AM-Value</b>
Weigela purpurea	Weigelie	6,0-7,0	0,2-0,4
Wisteria sinensis	Blauregen	6,0-7,0	0,2-0,4
Zantadeschia-Calla		5,0-6,0	0,4-0,6
Zygocactus hybriden		5,0-6,5	0,3-0,5

**Public Green Spaces:**

Golf grass		5,5-6,0	0,2-0,4
Park lawn		5,5-6,5	0,1-0,3
Sports field grass		5,5-6,5	0,1-0,4
Ornamental lawn		5,5-6,0	0,2-0,4

**Vegetables (in greenhouse):**

Salad		6,0-7,5	0,3-0,5
Beans		6,0-7,5	0,3-0,5
Radish		5,5-7,5	0,3-0,5
Cauliflower		6,5-7,5	0,4-0,7
Cucumber		5,5-7,5	0,4-0,7
Turnip-cabbage		6,5-7,5	0,3-0,6
Parsley		6,0-7,5	0,4-0,5
Tomato		6,0-7,5	0,4-0,7

**Vegetables (outside):**

Salad		5,5-7,5	0,2-0,4
Cauliflower		6,5-7,5	0,3-0,5
Radish		5,5-7,0	0,2-0,5
Beans		6,0-7,5	0,2-0,4
Endive		6,0-7,5	0,3-0,4
Peas		6,0-7,5	0,2-0,3
Cucumber		5,5-7,5	0,3-0,5
Carrot		6,0-7,5	0,3-0,4
Turnip-cabbage		6,0-7,5	0,2-0,4
Sweet pepper		6,0-7,5	0,2-0,5
Parsley		6,0-7,5	0,2-0,4
Leek		6,0-7,5	0,2-0,5
Radish		5,5-7,0	0,2-0,3
Rhubarb		5,5-7,0	0,3-0,6
Brussels sprouts		6,0-7,5	0,2-0,5
Red cabbage		6,5-7,5	0,3-0,4
Celery		6,0-7,5	0,3-0,5
Asparagus (April until middle of June)		6,0-7,0	0,2-0,3
Asparagus (middle of June until August)		6,0-7,0	0,3-0,5
Spinach		5,5-7,5	0,2-0,4
Tomato		5,5-7,5	0,3-0,5
White cabbage		6,5-7,5	0,3-0,5
Savoy		6,0-7,5	0,2-0,4
Onion		6,0-7,0	0,2-0,4

**Fruits:**

Apple (top layer)		6,0-7,5	0,2-0,4
Apple (30-60 cm soil depth)		6,0-7,5	0,2-0,3
Apricot		6,0-7,0	0,2-0,4
Pear		5,0-7,5	0,2-0,4
Blackberry		6,0-7,5	0,2-0,4
Strawberry		6,0-7,0	0,2-0,4
Hazelnut		6,0-7,0	0,2-0,3
Blueberry		3,5-5,0	0,2-0,3
Red / Black currant		6,0-7,5	0,2-0,4
Sour cherry		6,0-7,0	0,2-0,4
Sweet cherry		6,0-7,5	0,2-0,4




Botanic Name	German Name	pH-Value	AM-Value
Almond		6,0-8,0	0,1-0,3
Peach		6,0-7,5	0,2-0,4
Plum		6,0-7,5	0,2-0,4
Grape (top soil)		6,0-7,5	0,2-0,4
Grape (30-60 cm soil layer)		6,0-7,5	0,2-0,3
Gooseberry		6,0-7,5	0,2-0,4
Lemon		6,0-7,5	0,1-0,3

#### Tropical and Sub-Tropical Fruits:

Ananas		5,0-6,0	0,2-0,3
Orange, Lemon		6,0-7,5	0,3-0,5
Avocado		6,0-7,0	0,2-0,4
Banana		5,5-7,0	0,2-0,3
Cotton		5,0-6,0	0,2-0,4
Coffee		6,0-7,0	0,2-0,4
Rice		5,0-6,5	0,3-0,4
Soy beans		6,0-7,0	0,2-0,3
Tobacco		5,5-7,0	0,2-0,4
Tea		6,0-7,0	0,2-0,3
Sugar cane		6,0-8,0	0,3-0,5

#### Agricultural Plants:

Barley		6,5-7,5	0,2-0,4
Oat		5,5-7,0	0,2-0,4
Potato		5,0-6,5	0,2-0,5
Maize		5,5-7,5	0,3-0,5
Rye		5,5-7,0	0,2-0,3
Wheat		6,0-7,5	0,2-0,4
Sugar beet		6,0-8,0	0,3-0,5



**STEP Systems GmbH**  
Soil Testing Equipment - Professional Systems

Duisburger Str. 44  
Tel: ++49 (0) 911 96 26 05-0  
Fax: ++49 (0) 911 96 26 05-9  
D-90451 Nürnberg  
e-mail: [info@stepsystems.de](mailto:info@stepsystems.de)  
[www.stepsystems.de](http://www.stepsystems.de)

All rights reserved.  
Printed in Germany.  
STEP Systems GmbH 2008